




SWEDISH STATEMENT



Five Producers, One Statement



Awarded at CES 2006

The Swedish Statement room at CES 2006 was proudly awarded "Audio Oasis" from www.positive-feedback.com issue 23.

Swedish Statement showroom in Singapore

Swedish Statement AV Private Limited
#04-11/12 The Adelphi,
1 Coleman Street
Singapore 179803
contact@designaudio.com.my

THE
SWEDISH
STATEMENT



Five Producers, One Statement

Made in Sweden



Mike Bladelius
Bladelius

Bladelius Design Group contributes with the spectacular Beowulf monoblock amplifiers, which consist of two separate amplifiers in a single chassis. The Beowulf's combination of bi-polar and MOSFET power devices in one amplifier, which has never been accomplished before, creates great advantages in music reproduction, especially in the control of bi-wired or bi-amplified speaker systems. Bladelius will also provide the multi-function Gondul disc player, which plays CDs, DVD-Audio discs, DVD-Video discs and SACDs, and contains a 7.1 preamplifier section. www.bladelius.com



Jorma Koski
Jorma Design

Jorma Design participates with world-class loudspeaker and interconnect cables, Jorma Prime. They are made of top-quality materials: gold, 99,999999% copper, transparent Teflon and walnut, all fine-tuned to get their best possible result. The cables also make use of Bybee Slipstream Golden Quantum Purifiers. www.jormadesign.com



Leif Olofsson
Marten

Marten introduced the world's first pure diamond midrange driver in the Coltrane Supreme loudspeaker, the most spectacular aspect of the Swedish Statement system. The Coltrane Supreme loudspeaker system is without a doubt among the best in the world. The system consists of four towers. The two main towers contain treble and midrange drivers with diamond membranes, plus one lower-midrange and four bass drivers with ceramic membranes. Each of the two bass towers is equipped with six ceramic bass drivers, a 2000-watt amplifier with active crossover (at 100 Hz), and room correction. The cabinets of all four towers are made of carbon fibre laminate. The ambition of the Coltrane Supreme speaker system is to push the limits of sound reproduction beyond what has previously been possible. All speaker units are made by Accuton. www.martendesign.com






Robert Grubstad
Nordic Concept

Nordic Concept contributes with the Signature turntable of their Artist series, which stands out both in terms of design sophistication and music reproduction. The player has two especially developed tonearms. One utilizes an air bearing, while the other uses a bearing engineered from kevlar and miniature hi-flux magnets. The Artist Signature will stand up to any competitor. www.audioconcept.se



Daniel Nyström
Erik Ohlsson
Woo Design

WOO Design, the fresh and innovative furniture manufacturer, supplies a unique piece that is especially designed for Swedish Statement. This 100kg furniture has a solid stainless steel frame with exclusive 100% contact laminate shelves, layer glued with aluminium and also makes use of natural rubber for dampening. www.woodesign.com



Specifications Swedish Statement system

Bladelius, Beowulf monoblock amplifiers

Power: Total of 900W in 8 Ω (450w + 450W) doubling down to under 1 Ω.

Power supply: 10kVA custom made switch mode.

Inputs: 2 RCA inputs for unbalanced configuration and 2 XLR inputs for balanced configuration.

Outputs: 4 sets of WBT Safety Line speaker terminals (2 sets for hi frequency reproduction, 2 sets for low frequency reproduction).

Dimensions: (dxwxh) 59x27x53 (cm)

Weight: 55 kg net each.

Bladelius, Gondul Level 3

Fully separate conversion for SACD, DVD-Audio and other audio formats. Gondul is here fitted with 4 selected 24 bit PCM 1704-k DACS from Burr-Brown. They are symmetrically configured in a balanced mode.

For SACD-mode; 4 DACS, two per channel in a differential balanced mode (Burr-Brown DSD 1792).

Digital filter DF 1706 handles 192 kHz 24 bit. Sample ratio for DA-conversion 768 kHz 24 bit. Discrete Current/Voltage conversion.

Optional Analogue Input board. An analogue input board is available. It will turn Gondul into a complete preamplifier with 1 balanced input (XLR) and 3 single ended inputs (RCA).

Audio data

THD + Noise: 0.001

Signal-to-noise ratio: 120 dB

Channel separation: 117 dB

Jorma Design, Jorma Prime Cables

Materials used: Gold, 99,999999% pure copper, transparent Teflon and walnut wood.

Marten Coltrane Supreme Speakers

Main towers

Frequency range: 90 –100 000 Hz ±1.5 dB

Power rating: 300 W continuous, 1500 W peak

Sensitivity: 93 dB/W/m

Impedance: 6 Ohm (minimum 3.7 Ohm)

Type: Sealed box system

Drive units: Four 7" ceramic-woofers, one 7" lower ceramic-mid, 2" diamond-mid, 3/4" diamond tweeter

Crossover network: 2nd & 1st order: 330, 1200 & 8000 Hz

Terminals: Custom made, biwiring

Cabinet: 25 mm:s carbon fibre laminate sides, 60 mm wood front, back, top and bottom,

Stands: Polished steel with Black Diamond Racing cones and pucks

Finishes: High-gloss carbon fibre sides with Oak, Maple, Cherry or Walnut.

Dimensions: W x H x D 26.0 x 137.0 x 40.0 cm

Net weight: 80 kilos

Subwoofers

Frequency range: 15–100 Hz –3 dB

Power rating: 800 W continuous, 4 000W peak

Impedance: 6 Ohm (minimum 4.3 Ohm)

Type: Sealed box system

Drive units: Six 9" ceramic woofers

Crossover network: Fourth order fully balanced active crossover 100 Hz with digital active room correction possibilities and 2000 W amp

Terminals: Custom made

Cabinet: 25 mm:s carbon fibre laminate sides, 60 mm wood front, back, top and bottom,

Stands: Polished steel with Black Diamond Racing cones and pucks

Finishes: High-gloss carbon fibre sides with Oak, Maple, Cherry or Walnut.

Dimensions: WxHxD 36.0 x 176.0 x 50.0 cm

Net weight: 100 kilos

Nordic Concept, Artist Signature

Motor: Superb 24 pole DC motor with advanced control PCB for perfect platter rotation speed. Automatic battery charged motor.

Bearing: inverted, high quality steel with ceramic ball in oil.

Platter: Ceramic-like polymer. 54 mm

Belt: Very thin to minimize any vibrations from the motor.

Puck: with built in spirit level.

Material: Legs and arm mount made from Delrin. All forces are distributed from the arm and chassis and to the Base Tech platform, US PAT NO: US 6296238.

Arm plint: can easily be adjusted in distance and height, allowing use of any high quality arm.

Finishes: Optional qualities. Default quality is Finnish birch, walnut, oak or sebrano.

Weight: 35 kg

Nordic Concept Air bearing Tonearm

High quality industrial grade air bearing. Solid delrin and metal construction. Removable headshell. Optional full length wiring. Silver wiring. High pressure pump, tank and electronics.

Nordic Concept Magnapivot Tonearm

Solid delrin and metal construction. Using the best bearing available, Kevlar and magnets according to the Schröder patent. Specially formulated armtube for high rigidity.

Woo Design, Furniture

Materials used: Stainless steel, 100% contact laminate shelves, layer glued with aluminium and natural rubber

Contact

Swedish Statement c/o Marten
Göteborgsgatan 18, SE-411 34 Göteborg, Sweden
Tel: +46 31 20 72 00, Fax: +46 31 20 72 70
Mobile: +46 70 72 888 22, +46 707 399 27 01

www.swedishstatement.com
info@swedishstatement.com